



EZ Series Cyanide Analysers

The EZ Series Online Analysers offer multiple options to monitor Cyanide in water. Typical applications are wastewater, drinking water and surface water.

The EZ1000 and EZ2000 Series Analysers use colorimetric analysis to measure Cyanide:

- EZ1012 Cyanide, free, standard measuring range: 0 - 200 µg/L
- EZ2500 Cyanide, total, standard measuring range: 0 - 100 µg/L

Options:

- Calibration to 10, 25, or 50% of standard range (only EZ1012)
- Internal dilution
- Multiple stream analysis (1-8 streams) reducing cost per sampling point
- Analogue and/or digital outputs for communication

Some applications may require the use of a sampling/filtration or an external dilution system for sample preconditioning. For this option please check the EZ9000 Sample preconditioning page.

Need support or a different configuration? Please contact us.

Part Number	Product description	Parameter	Measuring range	Output	GBP Price
EZ1012.99001C02	EZ1012 Free Cyanide Analyser, 1 stream, Modbus RS485	Cyanide, free	0 - 200 µg/L CN	Modbus RS485	Contact Us
			Optional:	Optional:	
			0 - 20 µg/L CN	Active 4 - 20 mA max.	
			0 - 50 µg/L CN	500 Ohm load, 1 to 8 outputs	
			0 - 100 µg/L CN	RS232, Modbus TCP/IP	
			0 - 800 µg/L CN (with internal dilution)		
			0 - 1600 µg/L CN (with internal dilution)		
			0 - 20 mg/L CN (with internal dilution)		

Part Number	Product description	Parameter	Measuring range	Output	GBP Price
EZ2500.990A1C02	EZ2500 Total Cyanide Analyser, 1 stream, Modbus RS485	Cyanide, total	0 - 100 µg/L CN	Modbus RS485	Contact Us
			Optional:	Optional:	
			0 - 1000 µg/L (with internal dilution)	Active 4 - 20 mA max. 500 Ohm load, 1 to 8 outputs	
				RS232, Modbus TCP/IP	